
MAGREDI PLUS





Overview

MAGREDI PLUS is a special version of this nozzle with 7 additional jets

Characteristics

The water is used for an all-around pipe cleaning, with a direct and closer effect than a conventional nozzle, increasing cleaning efficiency thanks to 75° and 90° angle of the additional jets. With the double configuration of jets PLUS version makes it possible to get 2 nozzles in 1.

Technical Specifications

Inlet	3/4″ F	1″ F	1″ F	1″1/4 F
Ø x L (mm)	355 x 160 x 120			
Weight (kg)	17	17	22	22
Rear Jets	9 @ 0°/5°/10°/15°/25°	9 @ 0°/5°/10°/15°/25°	9 @ 0°/5°/10°/15°/25°	9 @ 0°/5°/10°/15°/25°
Front Jets	5 @ 75°	5 @ 75°	5 @ 75°	5 @ 75°
Lateral Jets	2 @ 90°	2 @ 90°	2 @ 90°	2 @ 90°
Tipo di Inserts	TE M10 x 1			
Minimum Flow (lt/min)	150	150	150	150
Working DN (mm)	400-1200	400-1200	400-1200	400-1200

Items

Nozzles with carbide inserts

	Part No.	Description
619	65500.872RW	3/4" MAGREDI PLUS NOZZLE, 17 KG, with carbide inserts
619	65500.87RW	1" MAGREDI PLUS NOZZLE, 16 KG, with carbide inserts
(a).0	65500.870RW	1" MAGREDI PLUS NOZZLE, 22 KG, with carbide inserts
C. D.	65500.871RW	1" 1/4 MAGREDI PLUS NOZZLE, 22 KG, with carbide inserts

Nozzles with ceramic inserts

	Part No.	Description
6,9	65500.872R	3/4" MAGREDI PLUS NOZZLE, 17 KG, with ceramic inserts
61.0	65500.87R	1" MAGREDI PLUS NOZZLE, 16 KG, with ceramic inserts
- D	65500.870R	1" MAGREDI PLUS NOZZLE, 22 KG, with ceramic inserts
() D	65500.871R	1" 1/4 MAGREDI PLUS NOZZLE, 22 KG, with ceramic inserts

Rotating Swivels

Part No.	Description
5030.20A	Rotary swivel 3/4"
5030.25A	Rotary swivel 1"
5030.32A	Rotary swivel 1" 1/4

GALLERY IMAGES





